



广微测
Gmicro Testing

广东省微生物分析检测中心
GUANGDONG DETECTION CENTER OF MICROBIOLOGY

分析检测报告

REPORT FOR ANALYSIS

| | |
|----------------|----------------|
| 报告编号 | 2016FM1751 |
| Report No. | |
| 样品名称 | 洁康 超声波去农残智能清洗机 |
| Name of Sample | |
| 委托单位 | 东莞市洁康超声波设备有限公司 |
| Applicant | |
| 检测地点 | 广东省微生物分析检测中心 |
| Place for Test | |

地址：广州市先烈中路 100 号大院 59 号楼
Address: Building 59, No.100 Central Xian Lie Road, Guangzhou, China
邮政编码：510070
Postcode:
电话号码：(020)87137666
Tel:
传真号码：(020)87137668
Fax:
网址：www.gddcm.com
Website:



广微测
Gmicro Testing

广东省微生物分析检测中心

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

分析检测报告

REPORT FOR ANALYSIS

| | | | |
|---------------------------|--------------------|-------------------------------|-------------------------|
| 样品名称 | 洁康 超声波去农残智能清洗机 | 接样方式及数量 | 送检 1 台 |
| Name of Sample | | Way and Quantity of Reception | |
| 样品规格及批号 | 商标 “洁康” | 样品状态和特性 | 机器 |
| Spec and Lot No of Sample | | State and Characteristic | |
| 委托单位 | 东莞市洁康超声波设备有限公司 | 接样日期 | 2016/04/15 |
| Applicant | | Sample Received Date | |
| 检测项目 | 见下表 | 检测日期 | 2016/04/15 至 2016/04/26 |
| Test Item | | Testing Period | |
| 报告编号 | 2016FM1751 | 签发日期 | 2016/04/27 |
| Report No. | | Date for Reporting | |
| 检测方法 | 参照 GB/T 20769-2008 | | |
| Test Method | | | |

分析检测结果

Results

| 测试污染物 | 检测结果 | | 去除率(%) |
|---------------|---|------------------------|--------|
| | 水果试样初始浓度 (mg/kg) | 送检样品对水果试样处理后浓度 (mg/kg) | |
| 乐果 | 1.98 | 0.0381 | 98.1 |
| 敌敌畏 | 2.20 | 0.0322 | 98.5 |
| (以下空白) | | | |
| 备注 Remarks | 1.以上去除率是洁康 超声波去农残智能清洗机在水中 对水果进行处理的结果。 2.实验处理：前处理加水洗三次，第一次加了适量多糖粉与样品一起超声洗6分钟，第二次超声清洗3分钟，第三次超声3分钟。 | | |

制表: 陈颖婷
Editor

审核: 林保
Verifier

批准: 李峰
Approver

盖章: 检测专用章
Official Seal



广微测
Gmicro Testing

广东省微生物分析检测中心

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

分析检测报告

REPORT FOR ANALYSIS

报告编号 (Report No.): 2016FM1751

No.64644339

注意事项

Notice Items

1. 检测报告无本单位检测专用章、骑缝章无效。
Test report is invalid if not affixed with Authorized Stamp of Test and Paging Seal.
2. 检测报告无审核人、批准人签字无效。
Test report is invalid without signature of verifier and approver.
3. 检测报告涂改增删无效。
Test report is invalid if being supplemented, deleted or altered.
4. 未经本单位书面许可不得部分复制检测报告 (全部复制除外)。
Without prior written permission of the laboratory, the test report cannot be reproduced, except in full.
5. 除非另有说明, 本报告检测结果仅对测试样品负责。
Unless otherwise stated, the results shown in this test report refer only to the sample tested.
6. 对检测报告若有异议, 应于收到报告之日起十五天内向检测单位提出。
Objections to the test report must be submitted to us within 15 days.
7. 样品为委托方送检时, 样品来源信息由委托方提供, 实验室不负责其真实性。
If the sample is submitted by the applicant for Testing, sample source information is provided by the applicant and the laboratory is not responsible for its authenticity.

